

2003 Ford Super Duty F-350 DRW F37 Reg Cab 141" WB 60" CA XL 4WD

VEHICLE SUMMARY

| | MSRP |
|--------------------|--------------------|
| Base Price | \$25,635.00 |
| Dest Charge | \$740.00 |
| Advert/Adjustments | \$0.00 |
| Total Options | \$1,900.00 |
| Total Price | \$28,275.00 |

Effective Date: 5/13/02

ORDERING EFF 7/01/02 - PLC 315

SELECTED OPTIONS

| CODE | DESCRIPTION | MSRP |
|------|-------------|------|
|------|-------------|------|

| | | |
|-------|--|------------|
| _____ | STANDARD EMISSIONS | \$0.00 |
| 99S | 6.8L (415) SOHC SEFI V10 ENGINE (STD) | \$0.00 |
| 44E | 4-SPEED AUTOMATIC TRANSMISSION W/OD *Deletes standard instrument voltmeter* (N/A w/99F Engine) | \$1,095.00 |
| X81 | 3.73 AXLE RATIO | \$0.00 |
| 640A | XL PREFERRED EQUIPMENT PKG -inc: base vehicle only | \$0.00 |
| 205 | PAYLOAD PKG #1 -inc: 11,200# GVWR, 5520# maximum payload (STD) (N/A w/99F Engine) (w/422 Emissions-inc: 11,000# GVWR, 5270# maximum payload) | \$0.00 |
| T35 | LT235/85R16E ALL-SEASON SBR BSW TIRES (STD) | \$0.00 |
| _____ | SPARE TIRE/WHEEL NOT DESIRED | \$0.00 |
| V_ | HD VINYL BENCH SEAT (STD) | \$0.00 |
| _____ | STANDARD PAINT (STD) | \$0.00 |
| 572 | AIR CONDITIONING | \$805.00 |
| 47Z | AMBULANCE PREPARATION PKG NOT REQUIRED | \$0.00 |

Color Selections

| | Description | Code |
|------------|------------------------|------|
| Exterior#1 | Arizona Beige Metallic | AQ |
| Exterior#2 | | |
| Interior | Medium Parchment | H |

VEHICLES, TRUCKS, CLASS 3, PICKUP/UTILITY/DUMP, W/SNOW PLOW OPT. - T2101
 SECTION 4, PRICE: \$18,248 (LINE 13), OPTIONS' DISCOUNT: 18% (LINE 20)
 CONTRACT: A53306 CONTRACTOR: WARNOCK AUTOMOTIVE INC

| CODE | DESCRIPTION | MSRP |
|------------|---|-------------|
| Exterior#1 | Description Dark Shadow Grey Metallic | Code CX |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | Red | F1 |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | Red | F1 |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | Toreador Red Metallic | FN |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | Toreador Red Metallic | FN |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | True Blue Metallic | L2 |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | True Blue Metallic | L2 |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | Dark Highland Green Metallic | PY |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |

| CODE DESCRIPTION | | MSRP |
|------------------|------------------------------|-------------|
| Exterior#1 | Dark Highland Green Metallic | PY |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | Sonic Blue Metallic | SN |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | Sonic Blue Metallic | SN |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | Black | UD |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | Black | UD |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | Oxford White | Z1 |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | Oxford White | Z1 |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | Silver Metallic | Z3 |
| Exterior#2 | | |
| Interior | Medium Flint | E |

OPTIONAL EQUIPMENT

VEHICLES, TRUCKS, CLASS 3, PICKUP/UTILITY/DUMP, W/SNOW PLOW OPT. - T2101
 SECTION 4, PRICE: \$18,248 (LINE 13), OPTIONS' DISCOUNT: 18% (LINE 20)
 CONTRACT: A53306 CONTRACTOR: WARNOCK AUTOMOTIVE INC

| CODE | DESCRIPTION | MSRP |
|--------------------------------|---|------------|
| CODE | DESCRIPTION | MSRP |
| EMISSIONS | | |
| _____ | STANDARD EMISSIONS | \$0.00 |
| 422 | CALIFORNIA EMISSIONS *Required on units for California, Maine & Massachusetts registration* (N/A w/445 Trans) | \$0.00 |
| 42F | CLEAN FUEL FLEET LEV (REQ: Standard Emissions, 99F Engine, 449 Trans) *Available for fleet orders in all states except California* | \$0.00 |
| 423 | CALIFORNIA EMISSIONS NOT REQUIRED *For units shipped/sold to California dealers for registration out of state* (REQ: Standard Emissions) | \$0.00 |
| 936 | CALIFORNIA PUBLIC SERVICE/EMERGENCY VEHICLE EXEMPTION *Only available on units sold to authorized governmental units & privately owned ambulance companies* (REQ: 423 Emissions Override) | \$0.00 |
| 93N | NON-CALIFORNIA DEALER ORDER FOR CALIFORNIA REGISTRATION (REQ: 422 Emissions) *Req on all units ordered by dealers for California registration when vehicle is being delivered to non-California location* | \$0.00 |
| ENGINE | | |
| 99S | 6.8L (415) SOHC SEFI V10 ENGINE (STD) | \$0.00 |
| 99L | 5.4L (330) SOHC SEFI V8 ENGINE *CREDIT* | -\$350.00 |
| 99F | 7.3L (444) DI V8 TURBO-DIESEL ENGINE -inc: 130 amp alt, dual 78 amp/hr batteries, engine block heater, exhaust back pressure valve | \$4,490.00 |
| TRANSMISSION | | |
| 445 | 6-SPEED MANUAL TRANSMISSION W/OD -inc: PTO provision (N/A w/99F Engine or 422 Emissions) (STD) | \$0.00 |
| 446 | 6-SPEED MANUAL TRANSMISSION W/OD -inc: PTO provision (REQ: 99F Engine) | \$0.00 |
| 44E | 4-SPEED AUTOMATIC TRANSMISSION W/OD *Deletes standard instrument voltmeter* (N/A w/99F Engine) | \$1,095.00 |
| 449 | HD 4-SPEED AUTOMATIC TRANSMISSION W/OD -inc: temp gauge (REQ: 99F Engine) *Deletes standard instrument voltmeter* | \$1,095.00 |
| AXLE | | |
| X81 | 3.73 AXLE RATIO | \$0.00 |
| XE2 | 4.10 AXLE RATIO W/LIMITED SLIP REAR AXLE (N/A w/99S Engine) | \$300.00 |
| XE3 | 4.30 AXLE RATIO W/LIMITED SLIP REAR AXLE (REQ: 99S Engine) | \$300.00 |
| PREFERRED EQUIPMENT PKG | | |
| 640A | XL PREFERRED EQUIPMENT PKG -inc: base vehicle only | \$0.00 |
| PAYLOAD PKGS | | |

VEHICLES, TRUCKS, CLASS 3, PICKUP/UTILITY/DUMP, W/SNOW PLOW OPT. - T2101
 SECTION 4, PRICE: \$18,248 (LINE 13), OPTIONS' DISCOUNT: 18% (LINE 20)
 CONTRACT: A53306 CONTRACTOR: WARNOCK AUTOMOTIVE INC

| CODE | DESCRIPTION | MSRP |
|---------------------------|---|------------|
| 205 | PAYLOAD PKG #1 -inc: 11,200# GVWR, 5520# maximum payload (STD) (N/A w/99F Engine) (w/422 Emissions-inc: 11,000# GVWR, 5270# maximum payload) | \$0.00 |
| 205 | PAYLOAD PKG #1 (REQ: 99F Engine) -inc: 12,500# GVWR, 6330# maximum payload | \$0.00 |
| TIRES | | |
| T35 | LT235/85R16E ALL-SEASON SBR BSW TIRES (STD) | \$0.00 |
| T3N | LT235/85R16E ALL-TERRAIN SBR BSW TIRES | \$150.00 |
| SPARE TIRE | | |
| ___ | SPARE TIRE/WHEEL NOT DESIRED | \$0.00 |
| 512 | FULL SIZE SPARE TIRE -inc: steel wheel | \$295.00 |
| SEAT TYPE | | |
| V_ | HD VINYL BENCH SEAT (STD) | \$0.00 |
| K_ | HD CLOTH/VINYL WEAVE BENCH SEAT | \$0.00 |
| C_ | HD CLOTH BENCH SEAT | \$160.00 |
| J_ | HD FULL VINYL BUCKET SEAT | \$230.00 |
| H_ | HD CLOTH/VINYL WEAVE BUCKET SEAT | \$230.00 |
| G_ | HD CLOTH BUCKET SEAT | \$390.00 |
| T_ | VINYL 40/20/40 SPLIT BENCH SEAT *Late Availability* | \$400.00 |
| 3_ | CLOTH 40/20/40 SPLIT BENCH SEAT (LPO) | \$425.00 |
| PAINT | | |
| ___ | STANDARD PAINT (STD) | \$0.00 |
| AIR CONDITIONING | | |
| ___ | AIR CONDITIONING NOT DESIRED | \$0.00 |
| 572 | AIR CONDITIONING | \$805.00 |
| AMBULANCE PKG | | |
| 47Z | AMBULANCE PREPARATION PKG NOT REQUIRED | \$0.00 |
| 47A | AMBULANCE PREPARATION PKG *NET* -inc: dual 130-amp alternators, air cond, auxiliary idle control kit (N/A w/63T Dual 130-Amp Alternators) (REQ: 99F Engine) | \$1,635.00 |
| | w/90G | \$830.00 |
| | w/o 90G | \$1,635.00 |
| ADDITIONAL OPTIONS | | |
| 674 | HEAVY SERVICE SUSPENSION PKG (N/A w/86M Snow Plow Pkg) **recommended only on vehicles which will permanently utilize equipment such as HD winches,brush guards or apparatus which loads the front axle to the specified GAWR** *NET* -inc: heavy service front springs, rear stabilizer bar, steering damper | \$125.00 |
| 531 | TRAILER TOWING PKG *NET* -inc: front stabilizer bar, 7-wire trailering harness, trailer brake wiring kit | \$155.00 |
| 86M | SNOW PLOW PKG (N/A w/674 Suspension Pkg or 682 GAWR pkg) - inc: 6000# front springs, steering damper *NET* | \$135.00 |
| | w/531 | \$70.00 |

| CODE | DESCRIPTION | MSRP |
|-----------------------------------|--|------------|
| | w/o 531 | \$135.00 |
| — | HD ALTERNATOR CREDIT *2003 PRICE TO FOLLOW* (REQ: 99F Engine, 531 Trailer Tow) | W/A |
| | w/99F, 531 & 86M | -\$60.00 |
| | w/only 99F or 531 or 86M | \$0.00 |
| 17F | XL DECOR GROUP -inc: chrome front bumper, single-beam jewel effect headlight *NET* | \$115.00 |
| 63T | DUAL 130-AMP ALTERNATORS (REQ: 99F Engine) | \$335.00 |
| 18L | BLACK MOLDED INTEGRATED CAB STEPS | \$320.00 |
| 18B | BLACK TUBULAR CAB STEPS | \$200.00 |
| 90G | CONVENIENCE PKG -inc: air cond, cruise control/tilt steering, electronic AM/FM stereo radio w/cassette *NET* | \$1,325.00 |
| | w/47A | \$520.00 |
| | w/o 47A | \$1,325.00 |
| 213 | ELECTRIC SHIFT-ON-THE-FLY TRANSFER CASE (N/A w/65C Fuel Tank) (REQ: 21M Manual Hub Delete) -inc: auto locking front hubs w/manual override | \$160.00 |
| 21M | MANUAL LOCKING HUB DELETE (REQ: 213 Transfer Case) | \$0.00 |
| 65M | OPTIONAL FUEL TANK CONFIGURATION *CREDIT* *Deletes STD 40 gallon fuel tank* -inc: 19 gal mid-ship fuel tank | -\$115.00 |
| 65C | OPTIONAL DUAL FUEL TANK CONFIGURATION (REQ: 99F Engine) -inc: 19 gal mid-ship fuel tank, 40 gallon aft-axle fuel tank | \$610.00 |
| 52N | CRUISE CONTROL/TILT STEERING WHEEL | \$385.00 |
| 62R | TRANSMISSION PWR TAKE-OFF PROVISION (REQ: 99S or 99F Engine) | \$250.00 |
| 433 | SLIDING REAR WINDOW | \$125.00 |
| 41H | ENGINE BLOCK HEATER *Recommended when minimum temp is -10F or below* (LPO) | \$35.00 |
| 682 | MAX FRONT GAWR PKG *Requires modified vehicle engineering (MVE) approval* *NET* -inc: max GAWR front springs, steering damper (LPO) | \$70.00 |
| 589 | ELECTRONIC AM/FM STEREO RADIO W/CASSETTE -inc: clock, amplifier, 4-speakers | \$135.00 |
| LIMITED PRODUCTION OPTIONS | | |
| 96P | AUXILIARY IDLE CONTROL (REQ: 99F Engine) -inc: idle control module, mounting bracket/hardware, wiring harness, enhanced PTO interface, remote capability *All parts shipped loose* (LPO) | \$210.00 |
| | w/47A | \$55.00 |
| | w/o 47A | \$210.00 |
| 942 | DAYTIME RUNNING LIGHTS (LPO) | \$45.00 |
| C09 | PRICED DORA | \$0.00 |
| B4A | NET INVOICE FLEET OPTION | \$0.00 |

| CODE | DESCRIPTION | MSRP |
|------|---|--------|
| — | COMMERCIAL EARLY ORDER INCENTIVE *N/A to Rental & Government customers* *Available on orders received by December 31, 2002* *DISCOUNT* | \$0.00 |
| UFA | FLEET SPECIAL ADJUSTMENT *Does not require Blue Oval Certification* *Req: valid FIN* *CREDIT* | \$0.00 |
| — | **NATIONAL FLEET INCENTIVE AVAILABLE TO QUALIFIED FLEET BUYERS ONLY** fleet customer will have the option of selecting the greater of available fleet incentive or retail customer cash incentive | \$0.00 |
| 56M | NATIONAL FLEET INCENTIVE *reqs commercial application, N/A to Ford authorized pool accounts* | \$0.00 |
| — | BID ASSISTANCE | \$0.00 |

NO SPECIAL EQUIPMENT OPTIONS AVAILABLE**STANDARD EQUIPMENT****NOTE**

ALL STANDARDS ARE 2003

MECHANICAL

6.8L (415) SOHC SEFI V10 engine
 6-speed manual transmission w/OD
 2-speed transfer case
 3.73 rear axle ratio
 Four wheel drive
 Manual locking front hubs
 78 amp/hr (750 CCA) maintenance-free battery
 130-amp alternator
 4-pin trailer tow wiring
 141" WB
 (2) front tow hooks
 Mono-beam front axle
 HD gas shock absorbers
 Front/rear stabilizer bar
 (6) LT235/85R16E all-season SBR BSW tires
 (6) 16" x 6.0" steel wheels
 Pwr steering
 Pwr 4-wheel anti-lock disc brakes
 40 gallon fuel tank-inc: auxiliary fuel tap

EXTERIOR

Argent painted front bumper
 Front/rear license plate bracket
 Argent grille
 Sealed beam halogen headlights

EXTERIOR

- Roof clearance lights
- Dual front grab handles
- Manual telescoping trailer tow mirrors w/manual glass
- Solar tinted glass
- Fixed interval wipers
- Black door handles

INTERIOR

- HD vinyl bench seat w/outboard seating position integral headrests
- Black vinyl full floor covering
- Color-keyed scuff plates
- Black vinyl steering wheel
- Tilt steering column
- Instrumentation-inc: tachometer, voltmeter, trip odometer, oil pressure/ coolant temp/fuel gauges, indicator lights
- Inside hood release
- (4) air registers w/positive shut-off
- Electronic AM/FM stereo-inc: 2-speakers
- Color-keyed instrument panel w/dual cup holders
- Cigar lighter
- Auxiliary pwr point
- Front passenger assist handle
- Color-keyed molded cloth headliner
- 11.5" day/night rearview mirror
- Color-keyed door trim panel-inc: hard armrest, grab handle, reflector
- Color-keyed cloth sun visors-inc: LH retainer strap, passenger vanity mirror
- Dual front color-keyed coat hooks
- Front door operated dome lamp w/time delay off
- Gray fabric back panel cover

SAFETY

- 4-wheel anti-lock brakes
- Driver/front passenger airbag supplemental restraint system
- Color-keyed safety belts w/adjustable D-rings
- Child tethers on all seats
- Dual-note electric horn

COLOR CHART

| Interior Colors | |
|------------------------|---|
| Medium | |
| Parchmen Medium Flint | |
| t | |
| Exterior Colors | |
| Arizona Beige Metallic | X |

| | | |
|------------------------------|---|---|
| Dark Shadow Grey Metallic | | X |
| Red | X | X |
| Toreador Red Metallic | X | X |
| True Blue Metallic | X | X |
| Dark Highland Green Metallic | X | X |
| Sonic Blue Metallic | X | X |
| Black | X | X |
| Oxford White | X | X |
| Silver Metallic | | X |

WARRANTY

<<< PRELIMINARY 2003 WARRANTY >>>

Basic: 3 Years/36,000 Miles

Drivetrain: Gas Engine

3 Years/36,000 Miles

Diesel Engine

5 Years/100,000 Miles

Corrosion: 5 Years/Unlimited Miles

Roadside Assistance: 3 Years/36,000 Miles

POWERTRAIN - BASIC SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

ENGINE

| | |
|--------------------------|--------------|
| Engine Order Code | (99S) |
| Engine Type | Gas V10 |
| Displacement | 6.8L/415 CID |
| Fuel System | (SEFI) |
| SAE Net Horsepower @ RPM | 310 @ 4250 |
| SAE Net Torque @ RPM | 425 @ 3250 |

TRANSMISSION

| | |
|------------------|-----------------------------|
| Trans Order Code | * 44E |
| Trans Type | * 4-Speed Automatic w/OD |
| Drivetrain | 4-Wheel Drive |

MILEAGE

| | City | Hwy |
|----------------------------|------|------|
| EPA Fuel Economy Est (MPG) | 0.00 | 0.00 |
| Cruising Range (mi) | | |

POWERTRAIN - ADVANCED SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

TRANSMISSION

Gear Ratio (:1)

TRANSMISSION

| | |
|------------------------|--------|
| First Gear Ratio (:1) | * 2.71 |
| Second Gear Ratio (:1) | * 1.54 |
| Third Gear Ratio (:1) | * 1.00 |
| Fourth Gear Ratio (:1) | * 0.71 |
| Reverse Ratio (:1) | * 2.18 |
| Clutch Size (in) | * |
| Trans Power Take Off | * |

TRANSFER CASE

| | |
|-------------------------------------|-----------------|
| Transfer Case Model | New Venture 271 |
| Gear Ratio (:1) | |
| Transfer Case Gear Ratio (:1), High | 1.00 |
| Transfer Case Gear Ratio (:1), Low | 2.72 |
| Transfer Case Power Take Off | |

DIFFERENTIAL

| | Front | Rear |
|-----------------------------|--------------|-------------|
| Final Drive Axle Ratio (:1) | 3.73 | 3.73 |

ELECTRICAL

| | | |
|------------------------------------|--------|---|
| Battery | 1 | 2 |
| Maximum Capacity @ 0° F | 750.00 | |
| Alternator | | |
| Maximum Alternator Capacity (amps) | 130.00 | |

COOLING SYSTEM

| | |
|-------------------------------------|-------|
| Total Cooling System Capacity (qts) | 28.50 |
| Engine Oil Cooler | |

PAYLOAD/TRAILERING SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

WEIGHT INFORMATION

| | Front | Rear |
|-----------------------------------|--------------|-------------|
| Gross Axle Weight Rating (lbs) | 4,000.00 | 9,750.00 |
| Curb Weight (lbs) | 3,023.00 | 2,200.00 |
| Total Option Weight (lbs) | 0.00 | 0.00 |
| Reserve Axle Capacity (lbs) | | |
| Gross Vehicle Weight Rating (lbs) | | |
| As Spec'd Curb Weight (lbs) | | |
| As Spec'd Payload (lbs) | | |
| Gross Combined Wt Rating (lbs) | | |

TRAILERING

| | Max Trailer Wt. | Max Tongue Load |
|---------------------------------|------------------------|------------------------|
| Dead Weight Hitch (lbs) | * 5,000.00 | * 500.00 |
| Weight Distributing Hitch (lbs) | * 10,000.00 | * 1,000.00 |

| | | |
|-------------------------|-----------------|-----------------|
| TRAILERING | Max Trailer Wt. | Max Tongue Load |
| Fifth Wheel Hitch (lbs) | * 11,477.00 | * 2,869.25 |

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

| | |
|--------------------------------------|---------|
| Wheelbase (in) | 140.80 |
| Length, Overall w/o rear bumper (in) | 225.70 |
| Width, Max w/o mirrors (in) | 91.70 |
| Height, Overall (in) | 80.00 |
| Overhang | |
| Overhang, Front (in) | 37.40 |
| Front Bumper to Back of Cab (in) | 118.20 |
| Cab to Axle (in) | 60.00 |
| Cab to End of Frame (in) | 107.50 |
| Ground to Top of Load Floor (in) | - TBD - |
| Ground to Top of Frame (in) | 24.20 |
| Frame Width, Rear (in) | 34.10 |
| Ground Clearance | |
| Ground Clearance, Front (in) | - TBD - |
| Ground Clearance, Rear (in) | - TBD - |

INTERIOR DIMENSIONS

| | |
|--------------------|-------|
| Passenger Capacity | 3.00 |
| Seating Position | Front |
| Head Room (in) | 41.30 |
| Leg Room (in) | 40.70 |
| Shoulder Room (in) | 68.00 |
| Hip Room (in) | 67.40 |

CHASSIS SPECIFICATIONS

| SUSPENSION | Front | Rear |
|------------------------------|--------------|---------------|
| Spring | | |
| Spring Type | Multi-Leaf | Multi-Leaf |
| Spring Capacity (lbs) | 4,000.00 | 9,750.00 |
| Axle | | |
| Axle Type | Monobeam | Full-Floating |
| Axle Capacity (lbs) | 5,200.00 | 9,750.00 |
| Shock Absorber Diameter (mm) | 1.38 | 1.38 |

| | | | |
|--------------------------------------|-----------------|------------------|--------------|
| SUSPENSION | Front | Rear | |
| Stabilizer Bar Diameter (in) | - TBD - | | |
| BRAKES | | | |
| Brake Type | Pwr | | |
| Brake ABS System | 4-Wheel | | |
| | Front | Rear | |
| Disc | Yes | Yes | |
| Rotor Diam x Thickness (in) | 13.03 x - TBD - | 12.83 x - TBD - | |
| TIRES | Front | Rear | Spare |
| Tire Order Code | T35 | T35 | |
| Tire Size | LT235/85R16E | LT235/85R16E | |
| Capacity (lbs) | 2,778.00 | 2,778.00 | |
| Revolutions/Mile @ 45mph | 655.00 | 655.00 | |
| WHEELS | Front | Rear | Spare |
| Wheel Size (in) | 16 x 6.0 | 16 x 6.0 | |
| Wheel Type | Steel | Steel | |
| STEERING | | | |
| Steering Type | Pwr | | |
| Ratio (:1) | | | |
| Steering Ratio (:1), On Center | 20.30 | | |
| Steering Ratio (:1), At Lock | | | |
| Turning Diameter (ft) | | | |
| Turning Diameter - Curb to Curb (ft) | 51.86 | | |
| Turning Diameter - Wall to Wall (ft) | 54.45 | | |
| FUEL TANK | Main | Auxiliary | |
| Fuel Tank Capacity, Approx (gal) | 40.00 | | |
| Fuel Tank Location | Aft-Axle | | |

VEHICLES, TRUCKS, CLASS 3, PICKUP/UTILITY/DUMP, W/SNOW PLOW OPT. - T2101
SECTION 4, PRICE: \$18,248 (LINE 13), OPTIONS' DISCOUNT: 18% (LINE 20)
CONTRACT: A53306 CONTRACTOR: WARNOCK AUTOMOTIVE INC